

# Shock Absorber Soft Type

# 25A-RJ Series

RoHS



## How to Order

**O.D. thread size/Stroke**

Symbol	O.D. thread	Stroke
<b>0604</b>	6 mm	4 mm

**Option**

Symbol	Hexagon nut
<b>Nil</b>	2 pcs.
<b>N</b>	—

**25A - RJ 0604**

**25A - RJ 0806 H U**

Series compatible with secondary batteries

Shock absorber/Soft type

**O.D. thread size/Stroke**

Symbol	O.D. thread	Stroke
<b>0806</b>	8 mm	6 mm
<b>1007</b>	10 mm	7 mm
<b>1412</b>	14 mm	12 mm
<b>2015</b>	20 mm	15 mm
<b>2725</b>	27 mm	25 mm

**Option**

Symbol	Hexagon nut	Stopper nut
<b>Nil</b>	2 pcs.	—
<b>J</b>	3 pcs.	—
<b>N</b>	—	—
<b>S</b>	2 pcs.	1 pc.
<b>SJ</b>	3 pcs.	1 pc.
<b>SN</b>	—	1 pc.

**With cap**

Symbol	Basic type
<b>Nil</b>	Basic type
<b>U</b>	With urethane cap

**Collision speed range**

Symbol	Collision speed range
<b>H</b>	0.05 to 2 m/s
<b>L</b>	0.05 to 1 m/s

\* RJ0604: 0.05 to 1.0 m/s  
\* RJ2725H: 0.05 to 1.5 m/s

## Hexagon Nut, Stopper Nut (Option) Part Nos. for the 25A- Series

		Thread size					
		M6	M8	M10	M14	M20	M27
Hexagon nut		25A-RJ06J	25-RB08J	25-RB10J	25-RB14J	25-RB20J	25-RB27J
Stopper nut	Basic type	—	25-RB08S	25-RB10S	25-RB14S	25-RB20S	25-RB27S
	With cap		25-RBC08S	25-RBC10S	25-RBC14S	25-RBC20S	25-RBC27S

Material: Special steel  
Treatment: Electroless nickel plating

\* The 25A- series specifications and dimensions are the same as those of the standard model.

For details, refer to the **Web Catalog**.

Directional Control Valves  
Air Cylinders  
Related Products  
Rotary Actuators  
Air Grippers  
Vacuum Equipment  
Air Preparation Equipment  
Clean Air Filters  
Modular F.R.L./Pressure Control Equipment  
Flow Control Equipment/Fittings  
Detection Switches  
Fluid Control Equipment  
Process Gas Equipment  
Electric Actuators  
Auto Switches

# Shock Absorber Short Stroke Type

RoHS

# 25A-RJ Series

## How to Order



Short stroke type

**25A - RJ 0805 U**

Series compatible with secondary batteries

Shock absorber/Soft type

O.D. thread size/Stroke

Symbol	O.D. thread	Stroke
0805	8 mm	5 mm
1006	10 mm	6 mm
1410	14 mm	10 mm

Option

Symbol	Hexagon nut	Stopper nut
Nil	2 pcs.	—
J	3 pcs.	—
N	—	—
S	2 pcs.	1 pc.
SJ	3 pcs.	1 pc.
SN	—	1 pc.

With cap

Nil	Basic type
U	With urethane cap

## Hexagon Nut, Stopper Nut (Option) Part Nos. for the 25A- Series

		Thread size		
		M8	M10	M14
Hexagon nut		25-RB08J	25-RB10J	25-RB14J
Stopper nut	Basic type	25-RB08S	25-RB10S	25-RB14S
	With cap	25-RBC08S	25-RBC10S	25-RBC14S

Material: Special steel  
Treatment: Electroless nickel plating

\* The 25A- series specifications and dimensions are the same as those of the standard model.


For details, refer to the **Web Catalog**.

# Shock Absorber

RoHS

# 25A-RB/RBC Series

## How to Order



**25A - RB C 14 12** □

Series compatible with secondary batteries

Shock absorber

Type

Nil	Basic type
C	With cap

Option

Symbol	Hexagon nut	Stopper nut
Nil	2 pcs.	—
J	3 pcs.	—
N	—	—
S	2 pcs.	1 pc.
SJ	3 pcs.	1 pc.
SN	—	1 pc.

O.D. thread size/Stroke

Symbol	O.D. thread size	Stroke	Symbol	O.D. thread size	Stroke
0805	8 mm	5 mm	1411	14 mm	11 mm
0806	8 mm	6 mm	1412	14 mm	12 mm
1006	10 mm	6 mm	2015	20 mm	15 mm
1007	10 mm	7 mm	2725	27 mm	25 mm

## Hexagon Nut, Stopper Nut (Option) Part Nos. for the 25A- Series

		Thread size				
		M8	M10	M14	M20	M27
Hexagon nut		25-RB08J	25-RB10J	25-RB14J	25-RB20J	25-RB27J
Stopper nut	Basic type	25-RB08S	25-RB10S	25-RB14S	25-RB20S	25-RB27S
	With cap	25-RBC08S	25-RBC10S	25-RBC14S	25-RBC20S	25-RBC27S

Material: Special steel  
Treatment: Electroless nickel plating

\* The 25A- series specifications and dimensions are the same as those of the standard model.

For details, refer to the **Web Catalog**.

Directional Control Valves

Air Cylinders

Related Products

Rotary Actuators

Air Grippers

Vacuum Equipment

Air Preparation Equipment

Clean Air Filters

Modular F.R.L./Pressure Control Equipment

Flow Control Equipment/Fittings

Detection Switches

Fluid Control Equipment

Process Gas Equipment

Electric Actuators

Auto Switches